

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

SERIAL NO.

510-125

09/276,935

APPLICANT

KLIEWER et al


FILING DATE

GROUP

March 26, 1999

1646

(Use several sheets if necessary)


OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

2000	map	Maurel, P., "Cytochromes P450: Metabolic and Toxicological Aspects", (ed. Ioannides, C.), pgs. 241-270 (CRC Press, Inc., Boca Raton, FL (1996)
	↑	Guzelian, P.S. "Microsomes and Drug Oxidations" (eds. Miners et al), pgs. 148-155 (Taylor and Francis, London (1988)
		Hashimoto et al, "Gene structure of CYP3A5, an adult-specific form of cytochrome P450 in human livers, and its transcriptional control", Eur. J. Biochem. 218:585-595 (1993)
		Barwick et al, "Trans-species Gene Transfer for Analysis of Glucocorticoid-Inducible Transcriptional Activation of Transiently Expressed Human CYP3A4 and Rabbit CYP3A6 in Primary Cultures of Adult Rat and Rabbit Hepatocytes", Molec. Pharmacol. 50:10-16 (1996)
		Fields et al, "A novel genetic system to detect protein-protein interactions", Nature 340:245-246 (1989)
		Forman et al, "Hypolipidemic drugs, polyunsaturated fatty acids, and eicosanoids are ligands for peroxisome proliferator-activated receptors α and δ ", Proc. Natl. Acad. Sci. USA 94:4312-4317 (1997)
		Luckow et al, "CAT constructions with multiple unique restriction sites for the functional analysis of eukaryotic promoters and regulatory elements", Nucleic Acids Research 15(13):5490 (1987)
		Kliwer et al, "An Orphan Nuclear Receptor Activated by Pregnanes Defines a Novel Steroid Signaling Pathway", Cell 92:73-82 (1998)
		Smith et al, "A novel nuclear receptor superfamily member in Xenopus that associates with RXR, and shares extensive sequence similarity to the mammalian vitamin D3 receptor", Nucleic Acids Research 22(1):66-71 (1994)
		Nagpal et al, RAR- β 4, a retinoic acid receptor isoform is generated from RAR- β 2 by alternative splicing and usage of a CUG initiator codon", Proc. Natl. Acad. Sci. USA 89:2718-2722 (1992)
		Quattrochi et al, "A Novel <i>cis</i> -Acting Element in a Liver Cytochrome P450 3A Gene Confers Synergistic Induction by Glucocorticoids plus Antigluco-corticoids", The Journal of Biological Chemistry 270(48):28917-28923 (1995)
		Huss et al, "Dexamethasone responsiveness of a major glucocorticoid-inducible CYP3A gene is mediated by elements unrelated to a glucocorticoid receptor binding motif", Proc. Natl. Acad. Sci. USA 93:4666-4670 (1996)
		Molowa et al, "Complete cDNA sequence of a cytochrome P-450 inducible by glucocorticoids in human liver", Proc. Natl. Acad. Sci. USA 83:5311-5315 (1986)
		Kocarek et al, "Comparative Analysis of Cytochrome P4503A Induction in Primary Cultures of Rat, Rabbit, And Human Hepatocytes", Drug Metabolism and Disposition 23(3):415-421 (1995)
		Schuetz et al, "Induction of Cytochrome P-450 by Glucocorticoids in Rat Liver", The Journal of Biological Chemistry 259(3):2007-2012 (1984)
		Heuman et al, "Immunochemical Evidence for Induction of a Common Form of Hepatic Cytochrome P-450 in Rats Treated with Pregnenolone-16 α -carbonitrile or other Steroidal or Non-Steroidal Agents", Molecular Pharmacology 21:753-760 (1982)
		Schulte-Hermann et al, "Quantitative Structure-Activity Studies on Effects of Sixteen Different Steroids on Growth and Monooxygenases of Rat Liver", Cancer Research 48:2462-2468 (1988)
		Wrighton et al, "Identification of the Cytochrome P-450 Induced by Macrolide Antibiotics in Rat Liver as the Glucocorticoid Responsive Cytochrome P-450 _p ", Biochemistry 24:2171-2178 (1985)
		Hostettler et al, "Coinduction of Multiple Hepatic Cytochrome P-450 Proteins and Their mRNAs in Rats Treated with Imidazole Antimycotic Agents", Molecular Pharmacology 35:279-285 (1989)
	map	Kocarek et al, "Regulation of Phenobarbital-Inducible Cytochrome P450 2B1/2 mRNA by Lovastatin and Oxysterols in Primary Cultures", Toxicology and Applied Pharmacology 120:298-308 (1993)

Examiner*

MICHAEL PAK

Date Considered

9/12/01

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

**INFORMATION DISCLOSURE
CITATION**

ATTY. DOCKET NO.

510-125

APPLICANT

KLIEWER et al

FILING DATE


March 26, 1999

SERIAL NO.

09/276,935

GROUP

1646



(Use several sheets if necessary)

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

[illegible]

Examiner*

MICHAEL PINK

Date Considered

9/17/01

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

Form PTO-FB-A820 (Also PTO-1449)

INFORMATION DISCLOSURE CITATION

ATTY. DOCKET NO.

510-125

APPLICANT

KLIEWER et al

FILING DATE

March 26, 1999

SERIAL NO.

09/276,935

RECEIVED

(Use several sheets if necessary)

OTPE
DEC 06 2000
PATENT & TRADEMARK OFFICE

GROUP

1646

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

Mor	Bertilsson et al, "Identification of a human nuclear receptor defines a new signaling pathway for CYP3A induction", Proc. Natl. Acad. Sci. USA 95:12208-12213 (1998)

*Examiner

MICHAEL PAUL

Date Considered

9/17/0

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application

